1-1-2013

Improving urban run-off quality using iron oxide nanoparticles with magnetic field

Mehdi Khiadani
Edith Cowan University

Mohammad Mehdi Foroughi

Mohammad Mehdi Amin

Follow this and additional works at: <https://ro.ecu.edu.au/ecuworks2013>

Part of the [Water Resource Management Commons](#)

[10.1080/19443994.2013.826382](https://ro.ecu.edu.au/ecuworks2013/761)

Khiadani, M. , Foroughi, M., & Amin, M. (2013). Improving urban run-off quality using iron oxide nanoparticles with magnetic field. *Desalination and Water Treatment*, 52(4-6), 678-682.

This is an Accepted Manuscript of an article published by Taylor & Francis in Desalination and Water Treatment, on 02 Aug 2013, available online: [here](#)

This Journal Article is posted at Research Online.

<https://ro.ecu.edu.au/ecuworks2013/761>

Improving urban runoff quality using iron oxide nano particles with magnetic field

Mehdi Khiadani (Hajian)^{a*}, Maryam Foroughi^b, Mohammad Mehdi Amin^c

^a School of Engineering, Edith Cowan University, WA 6027, Australia and Environment Research Centre, Isfahan University of Medical Sciences (Corresponding Author) E-mail:

m.khiadani@ecu.edu.au

^b Environment Research Centre, Isfahan University of Medical Sciences, Isfahan, Iran (E-mail:

^c Environment Research Centre, Isfahan University of Medical Sciences, Isfahan, Iran

Abstract

Runoff from roads surface is a major source of pollution in the environment. The aim of this study was to investigate the efficiency of nano iron oxide under a magnetic field to improve urban runoff quality.

Experiments were conducted in 50 mm diameter column made of plexiglass in which 20 cm deep stainless steel wool was used as medium bed. A pair of magnets, each with 0.7 T magnetic charge density was installed around the column. The particle size of the iron oxide was determined by X-ray diffraction (XRD) analysis. Atomic absorption spectroscopy, spectrophotometer, turbidimeter and pH meter were used to measure heavy metals, nitrate and phosphate, turbidity and pH, respectively. Results from XRD analysis revealed that the average nanoparticles size was 32 nm. The average removal efficiency for turbidity, Pb, Zn, Cd and phosphate were 41.5%, 93.9%, 96.2%, 88.4% and 87.4%, respectively. However, nitrate was not removed from the column tests.

The results of this study showed that nano iron oxide in presence of magnetic field has potential to improve urban runoff quality. However, for further reduction of turbidity and nitrate removal other options should be considered.

Keywords: Iron Oxide Nanoparticles, Magnetic Field, Urban Runoff

1. Introduction

Roads in urban areas include significant quantities of pollutants such as nutrients, heavy metals, and hydrocarbons where normally originate from traffic activities. Runoff from these roads is considered a major source of pollution in urban areas. Pollutants in runoff from roads may exert a serious long term impact on receiving soils or water-based ecosystem [1].

Heavy metals such as cadmium (Cd), lead (Pb) and zinc (Zn) in stormwater are considered to be of greatest concern as their concentration often exceed surface water quality guidelines by 10 times or

even more [2]. The impact of eutrophication and issues related to phosphate and nitrate ions are also important [3, 4].

Magnetically assisted processes are being used in water purification. Magnetism influences the physical properties of contaminants in water. High-gradient magnetic separation (HGMS) is a commonly used expression in magnetic separations that comprises a bed of magnetically susceptible wires placed inside an electromagnet [5]. A magnetic field around a column with wires produces large gradient which can attract and trap magnetic particles on the surface of wires. Particle sizes, their magnetic properties and magnetic field gradient are important factors affecting the capture of particles [6]. The magnetic force attracting particles toward the wires must take over the fluid drag, gravitational, inertial, and diffusion forces.

Several magnetic based methods have been used for water purification. Fe (III) as a coagulant forms insoluble precipitate which is magnetisable. This property has been used to remove contaminants from paper and steel industries. During this process it was also noticed that algae, biochemical oxygen demand (BOD), total nitrogen (T-N), and total phosphorus can simultaneously be lowered [5].

Nanomaterials are currently practiced to treat water. Their combination with magnetism could be an efficient treatment technology. Magnetic nanoparticles have large surface area while maintaining their magnetic property. One of the advantages of this process is that nanoparticles could be eliminated by an external magnetic field.

Magnetic nano-adsorbents, due to their better removal efficiency, were also used to remove metallic ions such as Cr(VI), Cu(II), Co(II), Cd(II), As(V), As(III) and Hg(II) from wastewater [5]. Magnetic as a seeding absorbent with HGMS was successfully used to remove phosphorous from wastewater [7]. Arsenic was successfully removed by combining the processes of magnetic seeding flocculation and HGMS [8]. HGMS process assisted with physico-chemical pre-treatment was used to remove heavy metals from industrial wastewaters using iron-oxide particulate matter. This was found to be a cost effective method [9].

The aim of this study was to investigate the efficiency of nano iron oxide particles in presence of magnetic field to improve urban runoff quality.

2. Materials and methods

2.1 Runoff synthesis

Runoff used in this study was synthesised and composed of turbidity (60 NTU), Pb (2.37 mg/l), Zn (2.54 mg/l), Cd (0.52 mg/l), PO_4^{3-} (9-10 mg/l) and NO_3^- (4- 5 mg/l). Although using a natural stormwater has advantages over using synthetic stormwater, however, maintaining consistency of its

concentration and characteristics is difficult [10]. Apart from this, due to rare and dispersed rain events in city of Isfahan, Iran which this study was conducted, synthetic stormwater was a better choice for this study. The characteristics of synthetised runoff have been illustrated in Table 1.

The chemicals used to synthesis the runoff were purchased from Merck Company. Stock solutions 1 g/l of Pb, Zn, Cd, PO_4^{3-} and NO_3^- were respectively prepared from PbCl_2 , $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$, $(\text{CH}_3\text{COO})_2\text{Cd} \cdot 2\text{H}_2\text{O}$, K_2HPO_4 and KNO_3 using double-distilled water. Standard acid and base solutions (1 M H_2SO_4 and 1 M NaOH) were used to adjust pH. Turbidity of the solution was adjusted using Kaolin.

Table 1. Characteristics of synthesized runoff

Pollutant	Concentration
Turbidity(NTU)	60
Lead(mg/l)	2.37
Zinc(mg/l)	2.54
Cadmium(mg/l)	0.52
Nitrate(mg/l)	4-5
Phosphate(mg/l)	9-10
pH	6.5-7.5

2.2 Nano particle characteristics

Characteristics Fe_3O_4 nano particles used in this study are presented in Table 2. This product was purchased from Aldrich. Esmaili et al. [11] used Debye-Scherrer equation to determine the particle size for this product. The approximate mean size of nano particles using this equation at 454 reflection peak, $2\theta \sim 36^\circ$ and 2.54°A , was estimated to be 37nm. This size was different from 60 nm that was given by the manufacturer (Aldrich), however, they acknowledged that this could be due to difference in NaOH and pH of the solutions was used.

Table 2. The characteristics of nano iron oxide particles

Scientific name	Iron oxide magnetic nano particles
Chemical formula	Fe_2O_3
Purity (%)	99.2
Particles size (nm)	60
Morphology	spherical
SSA (m^2/g)	55
Bulk density (g/m^3)	0.84

Point of zero charge (PZC) for Fe_3O_4 nano particles was determined to be around 7 [11]. Different techniques have been used to synthesis iron oxides nanoparticles, so different values of pH_{pzc} (3.8-9.9) have been reported in the literatures [12].

2.3 Experimental conditions

Fig. 1 shows an overview of the pilot used in this study. Two magnets, each with 0.7 T magnetic flux density, were installed on the walls of the column. All tests were conducted in 50 mm diameter (internal) plexiglass column which 200 mm of its height was filled with stainless steel wool. The total volume of the column was 400 ml which half of this was occupied by the stainless steel wool. The exposure time (retention time) of 10 min was allowed between runoff and nano particles. This is an optimum time has been experimented using Fe_3O_4 nano particles [12].

Synthetic stormwater was flow through the column five times and for each run, 0.5 g/l nano iron oxide was added during exposure time of 10 min [12], then samples for further analysis was collected.

Atomic absorption spectroscopy (Perkin-Elmer 2380), spectrophotometer (Hach DR 5000), turbidimeter (Euteoh Instruments TN100) and pH meter (pH-meter CG824) were used to measure heavy metals, nitrate and phosphate, turbidity and pH, respectively.

Fig. 1. The scheme of laboratory system

3. Results and discussions

The result in terms of removal efficiency has been presented in Fig. 2. The minimum, maximum and average removal efficiency for each parameter is given in Table 3.

Table 3. Minimum, maximum and average removal efficiency

Parameters	Minimum removal efficiency (%)	Maximum removal efficiency (%)	Average removal efficiency (%)
turbidity	33.0	57.1	42.0
Pb	91.5	96.5	93.9
Cd	95.7	97.0	96.4
Zn	85.3	90.3	88.4
PO_4^{-3}	84.0	89.3	87.3
NO_3^{-1}	-	-	-

Fig. 2. Removal efficiency of pollutants from the column

4. Discussion

As indicated in Table 3, turbidity mean removal efficiency was 42%, which is not very significant. This may be due to the fact that stainless steel wool media due to its large porosity does not act similar to filter system or settling mechanism. In a sand filtration system three mechanisms of filtration, settling and adsorption are primary removal process [13]. It has been claimed that zeta potential of sand filter columns reduces in presence of magnetic field and this leads to particle instability, aggregation and formation of larger particles, and as such accelerates filtration and settling [14]. Therefore, it is not surprising that the stainless steel wool column with such large porosity is not able to remove turbidity significantly. In this process, the dominant mechanism to remove turbidity

seems to be adsorption, only. Nano particles are small size particles with large surface area and consequently their adsorption capacity is high. Apart from this, surface charges of magnetic nano particles are arranged so that atoms in the surface have high reaction capacity and this increase reaction between the nano particles and adsorbents [15]. Apart from this the magnetic field entrap iron nano particles which maximize the surface area inside the column and help to reduce turbidity.

The average removal efficiency of the column for lead, Zn and Cd was 93.9%, 96.4% and 88.4% , respectively. This indicates that Fe_3O_4 nano particles are effective to remove metal ions from the solution. Shen (a) et al. [16] used Fe_3O_4 nano particles of 8 nm with a contact time of 24 hours to remove metal ions from wastewater. The removal efficiency in their experiments for metal ions Cu, Cr, Cd and Ni were 99.8%, 97.6%, 84.7%, and 88.5 % , respectively. In this study, XRD patterns for the sample collected proved that ion-adsorbed nano particles were crystalline, suggesting that the adsorption mechanism for removal of the metals is mainly electrostatic attraction [15]. Furthermore, investigations by others have proved that magnetic nano particles can produce large specific surface areas which can have a higher adsorption capacity and fast adsorption rate for metal removal [16].

The average phosphate removal in the present study was 87.4%, which is consistent with finding from other studies [12]. In this study Fe_3O_4 nano particles was used to remove organic matters from wastewater. They concluded that the Fe_3O_4 nano particles are an effective, easy and low cost method to remove metals and also recover them using a magnetic field. In another study, removal of phosphate from synthesized urban runoff was investigated by authors using sand filter column which was coated with Fe_3O_4 nano particles [14]. Removal of phosphate from the sand filter coated with Fe_3O_4 nano particles was less than current study. This supports that removal mechanism in column with stainless steel wool is mainly due to adsorption. Free Fe_3O_4 nano particles have more adsorption capacity than when they are coated on sand.

Nitrate was not removed by the column and this was due the fact that removal mechanism was physical and/or adsorption. This is consistent with finding from other studies which adsorption mechanism is not a suitable method to remove nitrate [10].

5. Conclusions

The study showed that the column with stainless steel wool in presence of Fe_3O_4 nano particles and magnetic field is an effective method to remove heavy metals from urban runoff. However, the column was less effective to remove turbidity. Also, the results indicated that in situations where nitrate is the critical pollutant, this method is not a suitable treatment option.

References

- [1] B. Helmreich, R. Hilliges, A. Schriewer and H. Horn, Runoff pollutants of a highly trafficked urban road – Correlation analysis and seasonal influences, *Chemosphere*, 80 (2010) 991-997.
- [2] N.C. Okochi and D.W. McMartin, Laboratory investigations of stormwater remediation via slag: Effects of metals on phosphorus removal, *Journal of Hazardous Materials*, 187 (2011) 250-275.
- [3] K.A. Collins, T.J. Lawrence, E.K. Stander, R.J. Jontos, S.S. Kaushal, T.A. Newcomer and N.B. Grimm, Opportunities and challenges for managing nitrogen in urban stormwater: A review and synthesis, *Ecological Engineering*, 36 (2010) 1507-1519.
- [4] S.E. Rosenquist, W.C. Hession, M.J. Eick and D.H. Vaughan, Variability in adsorptive phosphorus removal by structural stormwater best management practices, *Ecological Engineering*, 36 (2010) 664-671.
- [5] R.D. Ambashta and M. Sillanpää, Water purification using magnetic assistance: A review, *Journal of Hazardous Materials*, 180 (2010) 38-49.
- [6] G.D. Moeser, K.A. Roach, W.H. Green, T. A. Hatton¹ and P.E. Laibinis, High-gradient magnetic separation of coated magnetic nanoparticles, 50 (2004) 2835–2848.
- [7] A. Merino-Martos, J. de Vicente, L. Cruz-Pizarro and I. de Vicente, Setting up High Gradient Magnetic Separation for combating eutrophication of inland waters, *Journal of Hazardous Materials*, (2011).
- [8] Y. Li, J. Wang, Y. Zhao and Z. Luan, Research on magnetic seeding flocculation for arsenic removal by superconducting magnetic separation, *Separation and Purification Technology*, 73 (2010) 264-270.
- [9] G. Mariani, M. Fabbri, F. Negrini and P.L. Ribani, High-Gradient Magnetic Separation of pollutant from wastewaters using permanent magnets, *Separation and Purification Technology*, 72 (2010) 147-155.
- [10] B.E. Hatt, T.D. Fletcher and A. Deletic, Treatment performance of gravel filter media: Implications for design and application of stormwater infiltration systems, *Water Research*, 41 (2007) 2513-2524.
- [11] H. Esmaeili, A. Ebrahimi, M. Khiadani (Hajian) and H. R. Pourzamani, Kinetic and isotherm studies of humic acid adsorption onto iron oxide magnetic nanoparticles in aqueous solutions, *International Journal of Environmental Health Engineering*, 2012, 1:33
- [12] B. Bina, M.M. Amin, A. Rashidi and H. Pourzamani, Investigation of Nano Caron Tubes Efficiency and Magnetic Nano Particles in Removal of BTEX from Aquatic Solutions, Report Number 389065. Isfahan University of Medical Science., (2010).
- [13] L. Scholes, D.M. Revitt and J.B. Ellis, A systematic approach for the comparative assessment of stormwater pollutant removal potentials, *Journal of environmental management*, 88 (2008) 467-478.
- [14] M. Foroughi, M. Hajian Nejad, M.M. Amin, H.R. Pourzamani and M. Vahid dastjerdi, Treatment of synthetic urban runoff using manganese oxide coated sand in presence of magnetic field, *International Journal of Environmental Health Engineering*, In Press (2012).

[15] Y.F. Shen, J. Tang, Z.H. Nie, Y.D. Wang, Y. Ren and L. Zuo, Preparation and application of magnetic Fe₃O₄ nanoparticles for wastewater purification, Separation and Purification Technology, 68 (2009) 312-319.

[16] Y.F. Shen, J. Tang, Z.H. Nie, Y.D. Wang, Y. Ren and L. Zuo, Tailoring size and structural distortion of Fe₃O₄ nanoparticles for the purification of contaminated water, Bioresource Technology, 100 (2009) 4139-4146.