

2013

# Delivering Genetic Education and Genetic Counseling for Rare Diseases in Rural Brazil

A.X. Acosta

K Abe-Sandes

R Giugliani

Alan H. Bittles

*Edith Cowan University*, [a.bittles@ecu.edu.au](mailto:a.bittles@ecu.edu.au)

---

[10.1007/s10897-013-9570-x](https://doi.org/10.1007/s10897-013-9570-x)

This article was originally published as: Acosta, A., Abe-Sandes, K., Giugliani, R., & Bittles, A. H. (2013). Delivering Genetic Education and Genetic Counseling for Rare Diseases in Rural Brazil. *Journal of Genetic Counseling*, 22(6), 830-834. The final publication is available at Springer via [here](#)

This Journal Article is posted at Research Online.

<http://ro.ecu.edu.au/ecuworks2013/768>

# Journal of Genetic Counseling

## Delivering genetic education and genetic counseling for rare diseases in rural Brazil --Manuscript Draft--

<b>Manuscript Number:</b>	
<b>Article Type:</b>	Genetic Counseling: A Global Perspective
<b>Keywords:</b>	Genetic education; genetic counseling; rare diseases; founder effect; endogamy; consanguinity; MPS VI
<b>Corresponding Author:</b>	Angelina Xavier Acosta, Ph.D. Federal University of Bahia Salvador, Bahia BRAZIL
<b>First Author:</b>	Angelina Xavier Acosta, Ph.D.
<b>Order of Authors:</b>	Angelina Xavier Acosta, Ph.D. Kiyoko Abé-Sandes Roberto Giugliani Alan H Bittles
<b>Abstract:</b>	<p>Brazil is the largest country in Latin America, with an ethnically diverse, Portuguese-speaking and predominantly Roman Catholic population of some 194 million. Universal health care is provided under the Federal Unified Health System (Sistema Único de Saúde) but, as in many other middle and low income countries, access to medical genetics services is limited in rural and remote regions of the country. Since there is no formally recognized Genetic Counseling profession, genetic counseling is provided by physicians, trained either in medical genetics or a related clinical discipline. A comprehensive medical genetics program has been established in Monte Santo, an inland rural community located in the state of Bahia in Northeast Brazil, with high prevalences of a number of recessive genetic disorders, including non-syndromic deafness, phenylketonuria, congenital hypothyroidism and mucopolysaccharidosis VI (Maroteaux-Lamy syndrome). Genetic education, counseling and treatment are locally provided, with a neonatal screening program for MPSVI currently under trial.</p>

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

## **Delivering genetic education and genetic counseling for rare diseases in rural Brazil**

**Acosta, A.X.<sup>1,2,3</sup>, Abé-Sandes, K.<sup>2,4</sup>, Giugliani, R.<sup>2,5</sup> & Bittles, A.H.<sup>3,6</sup>**

<sup>1</sup>Bahia School of Medicine, Federal University of Bahia, Salvador, BA, Brazil, <sup>2</sup>National Institute on Population Medical Genetics – INAGEMP, <sup>3</sup>Centre for Comparative Genomics, Murdoch University, Perth, Australia, <sup>4</sup>Brazil State University of Bahia, Salvador, BA, Brazil, <sup>5</sup>Department of Genetics, Federal University of Rio Grande do Sul, Porto Alegre, RS, Brazil, <sup>6</sup>School of Medical Sciences, Edith Cowan University, Perth, Australia

Running title: Genetic education and genetic counseling in Brazil

Key words: Genetic education, genetic counseling, rare diseases, founder effect, endogamy, consanguinity, MPS VI

All correspondence to:

Dr. A.X. Acosta  
Hospital Universitário Professor Edgar Santos  
Serviço de Genética Médica  
Av Augusto Viana, s/n, 6<sup>a</sup> andar, Canela  
Salvador-Bahia, Brasil  
CEP 40080-160

Tel: +55 71 32838109  
Fax: +55 71 32828108  
Email: [axacosta@hotmail.com](mailto:axacosta@hotmail.com)

1  
2  
3  
4 **Abstract**  
5

6  
7 Brazil is the largest country in Latin America, with an ethnically diverse, Portuguese-  
8  
9 speaking and predominantly Roman Catholic population of some 194 million. Universal health  
10  
11 care is provided under the Federal Unified Health System (*Sistema Único de Saúde*) but, as in  
12  
13 many other middle and low income countries, access to medical genetics services is limited in  
14  
15 rural and remote regions of the country. Since there is no formally recognized Genetic  
16  
17 Counseling profession, genetic counseling is provided by physicians, trained either in medical  
18  
19 genetics or a related clinical discipline. A comprehensive medical genetics program has been  
20  
21 established in Monte Santo, an inland rural community located in the state of Bahia in Northeast  
22  
23 Brazil, with high prevalences of a number of recessive genetic disorders, including non-  
24  
25 syndromic deafness, phenylketonuria, congenital hypothyroidism and mucopolysaccharidosis VI  
26  
27 (Maroteaux-Lamy syndrome). Genetic education, counseling and treatment are locally provided,  
28  
29 with a neonatal screening program for MPSVI currently under trial.  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4 **Introduction**  
5

6 By global standards Brazil is a huge country with a land area of 8.54 million km<sup>2</sup> and a  
7 population of 194.3 million, which makes it both the largest country in Latin America and the  
8 fifth most populous country world-wide. As summarized in Table I, in economic and health  
9 terms Brazil is a middle ranked country with an adult literacy rate of 88.6%, a mean annual per  
10 capita income of US\$11,000, and 84% of its population living in urban centres. The introduction  
11 of birth control programs by the Federal Government in the 1990s resulted in a marked slowing  
12 of the annual population growth rate, and the total fertility rate is now 1.9, i.e. below the  
13 replacement rate. However, in terms of its age profile Brazil remains a young country, with 25%  
14 of the population under 15 years and just 7% over 65 years (PRB, 2012).  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27

28 **Health care in Brazil**  
29

30 The majority of the population is served by the public Unified Health System (*Sistema*  
31 *Único de Saúde* or SUS), which was established in 1988 to ensure equitable access to health for  
32 all citizens and is one of the largest public health systems in the world (Brazil, 1990). SUS is  
33 organized on a municipal basis, with management provided at state level and financial support  
34 from the Federal Ministry of Health. Health expenditure in Brazil in 2007 comprised 8.4% of  
35 Gross Domestic Product (WHO, 2010), with 1.84 medical practitioners and 2.26 hospital beds  
36 per 1,000 of the population (IBGE, 2009).  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47

48 The most recent available national statistics indicate neonatal, infant and under-5 year  
49 deaths rates of 11/1,000, 20/1,000 and 22/1,000 respectively, while non-communicable diseases  
50 now account for 74% of deaths (Table I). The shift to a non-communicable disease profile in  
51 Brazil also is reflected in the reported causes of early deaths. In 1980, 38% of infant deaths were  
52 ascribed to perinatal causes, with congenital anomalies listed as the fifth most common cause of  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4 death and representing just 5% of the total. Given proportional reductions in infectious,  
5  
6 nutritional, and respiratory diseases, by 2000 congenital malformations had become the second  
7  
8 most common cause of deaths in children under age 1 year representing 13% of the total, and by  
9  
10 2006 mortality due to congenital defects had risen to 16.3% of all infant deaths (Brazil, 2010)

11  
12  
13  
14 [Table I here]

### 15 16 **Ethnicity of the Brazilian population**

17  
18 A question on ethnicity was included in the 2000 Census of Brazil, with the options of  
19  
20 White, Black, *Pardo* (mixed color or race; mulatto or *mestizo*), Asiatic, and Native Brazilian  
21  
22 Indian. Of those who responded, 54.0% self-declared as White, while 39.9% were *Pardos*, 5.4%  
23  
24 Black, 0.5% Asiatic, and 0.2% Native Indians. Persons of African ancestry, represented by those  
25  
26 who self-declared as Black or *Pardo* were mainly resident in the North (69.0%) and Northeast  
27  
28 (65.8%), whereas the highest percentages of Whites were located in the Southeast (62.4%) and  
29  
30 South (83.6%) regions of the country (IBGE, 2000).  
31  
32  
33

### 34 35 **Medical genetics services in Brazil**

36  
37 Most Brazilians do not have access to medical genetic services, as the majority of these  
38  
39 services are concentrated in tertiary centers located in the most developed Southeast and South  
40  
41 regions of the country. A number of institutions have sophisticated laboratory infrastructures  
42  
43 and offer diagnostic testing, including cytogenetic and molecular genetic analyses. Specialists in  
44  
45 medical genetics tend to aggregate within the major service centers located in the Center-South  
46  
47 of the country, which in practice means that a majority of Brazilian states have few or no resident  
48  
49 trained professionals in clinical genetics (Horovitz et al., 2012).  
50  
51  
52

53  
54 Since access to specialist medical genetics services has been limited, the establishment of  
55  
56 regional services and the promotion of genetics within primary care were identified as priority  
57  
58  
59  
60  
61  
62

1  
2  
3  
4 issues (Marques-de-Faria et al., 2004; Penchaszadeh, 2004). In response, the Federal  
5  
6 government formulated a national policy for comprehensive clinical genetics services, which  
7  
8 included both specialist medical genetics centers and the inclusion of genetics in primary care  
9  
10 programs (Brazil, 2009). In the latter setting the policy provides for the identification and  
11  
12 follow-up of families with congenital anomalies and genetically determined diseases, but as yet  
13  
14 progress in meeting its stated aims has been slow.  
15  
16  
17

### 18 **Medical genetics training**

19  
20  
21 By comparison with other clinical specialities, Medical Genetics is a relatively young  
22  
23 branch of medicine in Brazil with Board Certification in Medical Genetics the responsibility of  
24  
25 the Brazilian Society of Medical Genetics (Sociedade Brasileira de Genética Médica, SBGM).  
26  
27 Eleven postgraduate residency programs each of three years' duration have been approved by the  
28  
29 National Medical Residency Committee (Comissão Nacional de Residência Médica, 2006), all  
30  
31 co-located with specialist laboratory services in the Center-South of the country (Secretaria de  
32  
33 Educação Superior, 2009). Professional accreditation in Medical Genetics also can be awarded  
34  
35 by other medical specialties, e.g. pediatrics, subject to approval by the Brazilian Medical  
36  
37 Association and the Federal Council of Medicine. During the last 30 years a combined total of  
38  
39 some 200 physicians have been awarded Board Certification in Medical Genetics through one or  
40  
41 other of these systems.  
42  
43  
44  
45  
46  
47

### 48 *Genetic counseling*

49  
50 Although health professionals from many backgrounds are involved in providing genetic  
51  
52 services in Brazil, the profession of Genetic Counselor is not formally recognized and so the  
53  
54 provision of genetic counseling is almost exclusively restricted to physicians. However, many  
55  
56 groups, centers and services coordinated by physicians offer informal, non-accredited training  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4 programs in genetic counseling to health care professionals drawn from a range of different  
5  
6 health disciplines, mainly nursing and psychology (Brunoni, 2002). Prior to a medical genetics  
7  
8 consultation, clients may be interviewed by a non-physician, most commonly health  
9  
10 professionals with a psychology background, who provide information on the investigations that  
11  
12 may be undertaken as part of their diagnosis and treatment.  
13  
14

### 15 16 **Genetic education and genetic counseling for inherited disorders in a rural setting** 17

18  
19 Given the concentration of medical genetics resources in the Center-South of the country,  
20  
21 specific problems in dealing with inherited disorders in less privileged rural communities  
22  
23 commonly are encountered. As an example, the inland municipality of Monte Santo is located in  
24  
25 the state of Bahia, northeast Brazil, some 350 km from Salvador the state capital. According to  
26  
27 the 2010 Census of Brazil the total population of Monte Santo was 52,338, scattered across some  
28  
29 200 villages.  
30  
31

32  
33 By comparison with the national average Monte Santo is a poor community, with an  
34  
35 average annual per capita income of just US\$1,403 and 66% adult literacy, and it is served by a  
36  
37 single general hospital with 60 beds (IBGE, 2010). Monte Santo was established mainly by  
38  
39 Portuguese settlers at the end of the 18<sup>th</sup> century but with substantial Native Indian Amerindian  
40  
41 and African admixture. Therefore in the 2010 Census respondents self-identified as 37.6%  
42  
43 White, 57.2% *Pardo*, and 5.2% Black (IBGE, 2010).  
44  
45  
46  
47

48  
49 A cluster of cases of mucopolysaccharidosis VI (MPS VI, Maroteaux-Lamy syndrome)  
50  
51 was provisionally identified in Monte Santo, but there was no information on the prevalence of  
52  
53 the disorder, which in other parts of the world is regarded as rare with reported incidence rates  
54  
55 ranging from 1/43,261 in Turkey to 1/1.51 million births in Sweden (Valayannopoulos et al.,  
56  
57 2010). To investigate the feasibility of establishing genetic services in this generally under-  
58  
59  
60  
61  
62  
63  
64  
65



1  
2  
3  
4 provided community, in 2006 a preliminary scoping visit to Monte Santo was arranged to meet  
5  
6 with the local civil authorities, medical staff and local residents. Following this visit a  
7  
8 multidisciplinary project *Genetics in the Sertão* was initiated as a partnership between public and  
9  
10 private institutions. The aim of the project was to create a coordinated genetic education, genetic  
11  
12 counseling, treatment and screening program for inherited disorders in the community, with  
13  
14 oversight provided by a multidisciplinary team of health care professionals, including medical  
15  
16 geneticists.  
17  
18  
19  
20

21           It soon became obvious that the prevalence of MPS VI in Monte Santo was indeed high  
22  
23 with 13 living cases identified in 11 nuclear families, and genetic analysis showed that all  
24  
25 affected persons were homozygous for the p.H178L mutation in the arylsulfatase B (ARSB) gene  
26  
27 (Costa-Motta et al., 2011). The data therefore strongly suggested the expression of a founder  
28  
29 mutation, maintained and spread through intra-community and intra-familial marriage and  
30  
31 resulting in a present-day MPS VI prevalence of 1/5,000. On the basis of these results, and with  
32  
33 the knowledge that other inherited disorders, including non-syndromic deafness, phenylketonuria  
34  
35 and congenital hypothyroidism, appeared to have an increased prevalence in the Monte Santo  
36  
37 community, the *Genetics in the Sertão* project was established as an ongoing, community-based  
38  
39 program.  
40  
41  
42  
43  
44

#### 45 *Genetic education*

46  
47  
48           In Brazil, the Community Health Agents Program was established in 1991 as part of the  
49  
50 Family Health Program. It is seen as an important facet of primary health care strategy, with  
51  
52 community health agents (CHA) trained to identify, refer, guide and follow-up families in their  
53  
54 community (Brazil, 2000). As part of the *Genetics in the Sertão* initiative in Monte Santo,  
55  
56 lectures, workshops and assessments of their training are regularly organized for the CHA, with  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4 information on the diseases thought to be most prevalent in the community, reinforcement of the  
5  
6 importance of early diagnosis, instruction on eliciting relevant information from families, and  
7  
8 accessing medical advice and appropriate treatment. As community members, the involvement  
9  
10 of the CHA is fundamental to the success of the *Genetics in the Sertão* program, by continuously  
11  
12 monitoring the overall health of the population and identifying new disease cases.  
13  
14

### 15 16 *Genetic counseling* 17

18  
19 General information on the effects of a disorder such as MPS VI is initially provided  
20  
21 through lectures and workshops conducted at community level, to explain the nature of the  
22  
23 disease, and the possible implications of family testing. In families with an affected member  
24  
25 multi-generation pedigrees are constructed, subject to the prior approval of family members and  
26  
27 on the basis of the information they provide.  
28  
29

30  
31 Because of the highly endogamous nature of the Monte Santo population, individuals  
32  
33 thought to be carriers of the causative ARSB p.H178L mutation in MPS VI often appear in  
34  
35 several pedigrees of nuclear families. A blood sample is requested for DNA testing where  
36  
37 pedigree analysis suggests that an individual may be at 50% or 25% risk of being a carrier for the  
38  
39 p.H178L mutation, along with a sample from his/her partner and any children over 18 years of  
40  
41 age. Before such a test is offered its possible implications are again explained, and formal  
42  
43 permission to sample is separately obtained from each individual.  
44  
45  
46

### 47 48 *Treatment and neonatal screening* 49

50  
51 In the initial stages of the program, patients with MPS VI had to travel weekly to Salvador, the  
52  
53 capital of Bahia, to receive enzyme replacement infusions (ERT) with Galsulfase, the only  
54  
55 specific treatment for MPS VI, which necessitated a round trip of 700 km. However, in April  
56  
57 2011 an ERT center for MPS VI was inaugurated at the municipal hospital of Monte Santo,  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4 where local doctors and nurses have been trained in the provision of treatment, with a medical  
5  
6 geneticist in regular attendance. As early introduction of therapy seems to provide a better  
7  
8 prognosis (McGill et al., 2010), a screening program for MPS VI was recently established for  
9  
10 newborns in Monte Santo.  
11  
12

### 13 14 **Conclusions**

15  
16 The experience gained in the *Genetics in the Sertão* program has proved invaluable to the  
17  
18 population Monte Santo, where in the past severe inherited disorders such as MPS VI were  
19  
20 untreatable and represented a major health burden not only to families with affected members but  
21  
22 to the community as a whole. In more general terms, *Genetics in the Sertão* has demonstrated  
23  
24 the feasibility of establishing such a program in an under-privileged rural population, a lesson  
25  
26 which given community support is applicable to other similar communities across Latin America  
27  
28 and throughout the developing and middle income world.  
29  
30  
31  
32  
33

### 34 35 **Acknowledgements**

36  
37 The authors gratefully acknowledge the financial support provided by INAGEMP -  
38  
39 National Institute of Population Medical Genetics (grant CNPq 573993/2008-4), and the  
40  
41 Foundation of Research Support of the State of Bahia (FAPESB). Dr. A.X. Acosta was the  
42  
43 recipient of a National Council of Technological and Scientific Development (CNPq)  
44  
45 Scholarship, held as Visiting Researcher in the Centre for Comparative Genomics, Murdoch  
46  
47 University, Australia.  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

## References

Brazil (1990). Presidência da República. Lei no. 8.080 de 19 de setembro de 1990. Dispõe sobre as condições para a promoção, proteção e recuperação da saúde, a organização e o funcionamento dos serviços correspondentes e dá outras providências.

Brazil (2000). Ministério da Saúde. A implantação da unidade de saúde da família. Brasília, DF: Departamento de Atenção Básica, Ministério da Saúde. 44p. (cadernos de Atenção Básica, 1).

Brazil (2009). Ministério da Saúde, portaria GM no. 81, 20 de janeiro de 2009—Institui, no âmbito do Sistema Único de Saúde (SUS), a Política Nacional de Atenção Integral em Genética Clínica. Diário Oficial da União 21/01/2009.

Brazil (2010). Ministério da Saúde, Departamento de Informação e Informática do SUS-DATASUS, Sistema de Informações de Saúde. Mortalidade infantil (menores de um ano). Available at: <http://tabnet.datasus.gov.br/cgi/defthtm.exe?sim/cnv/obt10uf.def>

Brazil (2011). DATASUS—Health Information Database. Ministério da Saúde—Departamento de Informática do SUS. Available at: <http://www2.datasus.gov.br/DATASUS/index.php>

Brunoni, D. (2002). Genetic Counseling. *Ciência e Saúde Coletiva*, 7, 101-107.

Comissão Nacional de Residência Médica (2006). Resolução CNRM no. 02, de 15 de maio de 2006. Dispõe sobre requisitos mínimos dos Programas de Residência Médica e dá outras providências. Available at:

[http://portal.mec.gov.br/sesu/arquivos/pdf/cnrm/resolcnrm002\\_2006.pdf](http://portal.mec.gov.br/sesu/arquivos/pdf/cnrm/resolcnrm002_2006.pdf)

Costa-Motta, F.M.M., Acosta, A.X., Abé-Sandes, K., Bender, F., Schwartz, I.V.D., Giugliani, R., & Leistner-Segal, S. (2011). Genetic studies in a cluster of mucopolysaccharidosis type VI patients in Northeast Brazil. *Molecular Genetics and Metabolism*, 104, 603-607.

1  
2  
3  
4 Horovitz, D.D.G., Ferraz, V.E.F., Dain, S., & Marques-de-Faria, A.P. (2102). Genetic services  
5 and testing in Brazil. *Journal of Community Genetics* Published online: 05 May 2012. DOI  
6  
7 10.1007/s12687-012-0096-y.  
8  
9  
10  
11 IBGE (2009). Fundação Instituto Brasileiro de Geografia e Estatística. Estatísticas da saúde:  
12 assistência médico-sanitária 2009. Rio de Janeiro; 2010 Available at:  
13  
14 [www.ibge.gov.br/home/estatistica/ populacao/condicaoodevida/ams/2009/ams2009.pdf](http://www.ibge.gov.br/home/estatistica/populacao/condicaoodevida/ams/2009/ams2009.pdf)  
15  
16  
17  
18 IBGE (2000). Instituto Brasileiro de Geografia e Estatística - Brasil: 500 Anos de Povoamento.  
19 Rio de Janeiro. Available at: <http://www.ibge.gov.br>.  
20  
21  
22  
23 IBGE (2010). Fundação Instituto Brasileiro de Geografia e Estatística; Brasil em Síntese.  
24 Available at: [http://www.ibge.gov.br/brasil\\_em\\_sintese/ default.htm](http://www.ibge.gov.br/brasil_em_sintese/default.htm)  
25  
26  
27  
28 IBGE (2011). Fundação Instituto Brasileiro de Geografia e Estatística— Sinopse do Censo  
29 Demográfico 2010. Rio de Janeiro, 2011. Available at:  
30  
31 <http://www.ibge.gov.br/home/estatistica/populacao/ censo2010/sinopse.pdf>  
32  
33  
34  
35 McGill, J.J., Inwood, A.C., Coman, D.J., Lipke, M.L., de Lore, D., Swiedler, S.J., Hopwood, J.J.  
36 (2010). Enzyme replacement therapy for mucopolysaccharidosis VI from 8 weeks of age—a  
37 sibling control study. *Clinical Genetics*, 77, 492–498.  
38  
39  
40  
41  
42 Marques-de-Faria, A.P., Ferraz, V.F.E., Acosta, A.X., & Brunoni, D. (2004). Clinical genetics in  
43 developing countries: the case of Brazil. *Community Genetics*, 7, 95–105.  
44  
45  
46  
47 Penchaszadeh, V.B. (2004). Genetics Services in Latin America. *Community Genetics*, 7, 65-69.  
48  
49  
50 PRB (2012). *World Population Data Sheet*. Population Reference Bureau, Washington DC.  
51  
52  
53 Secretaria de Educação Superior—Comissão Nacional de Residência Médica—Ministério da  
54 Educação (2009). Sistema CNRM—Instituição x Programas x Vagas—Programas de Residência  
55 em Genética Médica. Available at:  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4 [http://mecsrv04.mec.gov.br/sesu/SIST\\_CNRM/APPS/inst\\_especialidades.asp](http://mecsrv04.mec.gov.br/sesu/SIST_CNRM/APPS/inst_especialidades.asp)  
5

6 UNICEF (2012). *State of the World's Children 2012*. New York, United Nations Children's  
7  
8 Fund.  
9

10 Valayannopoulos, V., Nicely, H., Harmatz, P., & Turbeville S. (2010). Mucopolysaccharidosis  
11  
12 VI. *Orphanet Journal of Rare Diseases*, 5, 5.  
13

14 WHO (2010). *World Health Organization. World Health Statistics 2010*. Available at:  
15  
16 [www.who.int/whosis/whostat/EN\\_WHS10\\_Full.pdf](http://www.who.int/whosis/whostat/EN_WHS10_Full.pdf).  
17  
18

19 WHO (2011). *Noncommunicable Diseases Country Profiles 2011*. Geneva, World Health  
20  
21 Organization.  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

**Table I**

**Brazil: Demographic and health summary profile 2012**

Population	194.3 million
Urban, %	84
Mean income per person	US\$11,000
Total fertility rate	1.9
Life expectancy at birth (yr):	
Male	70.3
Female	77.1
Neonatal mortality rate	11/1,000
Infant mortality rate	20/1,000
Under 5 mortality rate	22/1,000
Children <5yr under-weight, %	2
Maternal mortality rate	68.7/100,000
Deaths due to non-communicable diseases, %	74

Sources: Brazil (2011); IBGE (2009, 2010); PRB (2012); UNICEF (2012); WHO (2010, 2011).