

12-10-2018

Correction to: HIF prolyl hydroxylase inhibition protects skeletal muscle from eccentric contraction induced injury

Andrew N. Billin

Samuel E. Honeycutt

Alan V. McDougal

Jaclyn P. Kerr

Zhe Chen

See next page for additional authors

Follow this and additional works at: <https://ro.ecu.edu.au/ecuworkspost2013>



Part of the [Musculoskeletal System Commons](#), and the [Sports Sciences Commons](#)

[10.1186/s13395-018-0185-7](https://ro.ecu.edu.au/ecuworkspost2013/5512)

Billin, A.N., Honeycutt, S.E., McDougal, A.V., Kerr, J.P., Chen, Z., Freudenberg, J.M., ... & Russell, A.J. (2018). Correction to: HIF prolyl hydroxylase inhibition protects skeletal muscle from eccentric contraction induced injury. *Skeletal Muscle*, 8(38). Available [here](#).

This Journal Article is posted at Research Online.
<https://ro.ecu.edu.au/ecuworkspost2013/5512>

Authors

Andrew N. Billin, Samuel E. Honeycutt, Alan V. McDougal, Jaclyn P. Kerr, Zhe Chen, Johannes M. Freudenberg, Deepak K. Rajpal, Guizhen Luo, Henning Fritz Kramer, Robert S. Geske, Frank Fang, Bert Yao, Richard V. Clark, John Lepore, Alex Cobitz, Ram Miller, Kazunori Nosaka, Aaron C. Hinken, and Alan J. Russell

CORRECTION

Open Access



Correction to: HIF prolyl hydroxylase inhibition protects skeletal muscle from eccentric contraction induced injury

Andrew N. Billin^{1†}, Samuel E. Honeycutt^{1†}, Alan V. McDougal¹, Jaclyn P. Kerr¹, Zhe Chen¹, Johannes M. Freudenberg³, Deepak K. Rajpal³, Guizhen Luo¹, Henning Fritz Kramer¹, Robert S. Geske³, Frank Fang⁴, Bert Yao², Richard V. Clark¹, John Lepore², Alex Cobitz², Ram Miller¹, Kazunori Nosaka⁵, Aaron C. Hinken¹ and Alan J. Russell^{1*}

Correction to: *Skeletal Muscle* (2018) 8:35

<https://doi.org/10.1186/s13395-018-0179-5>

Following publication of the original article [1], the authors flagged that there is a discrepancy with the *Availability of data and materials* statement on page 12 of the article.

This statement says that “Raw preclinical and clinical data for this manuscript will not be shared for logistical reasons.”

However, the authors state on page 10 of the article that “Anonymized individual participant data and study documents can be requested for further research from www.clinicalstudydatarequest.com.”

The policy at GlaxoSmithKline, Inc., the sponsor of this paper (see the *Funding* section on page 12), is consistent with the latter statement, of page 10.

As such, in the interest of full transparency, please be advised that **the *Availability of data and materials* statement on page 12 of the article is void.**

Author details

¹Muscle Metabolism Discovery Performance Unit, GlaxoSmithKline, King of Prussia, PA, USA. ²Metabolic Pathways and Cardiovascular Therapy Area, GlaxoSmithKline, King of Prussia, PA, USA. ³Target Sciences, GlaxoSmithKline, King of Prussia, PA, USA. ⁴Clinical Statistics, GlaxoSmithKline, King of Prussia, PA, USA. ⁵School of Medical and Health Sciences, Edith Cowan University, Joondalup, WA, Australia.

* Correspondence: arussell@edgewisetx.com

[†]Andrew N. Billin and Samuel E. Honeycutt contributed equally to this work.

¹Muscle Metabolism Discovery Performance Unit, GlaxoSmithKline, King of Prussia, PA, USA

Published online: 10 December 2018

Reference

1. Billin AN, et al. HIF prolyl hydroxylase inhibition protects skeletal muscle from eccentric contraction induced injury. *Skeletal Muscle*. 2018;8:35. <https://doi.org/10.1186/s13395-018-0179-5>.

